



Dear Customer,

as stated by following Declaration of Conformity related to Aluminum products produced and sold by Contital, the Aluminum itself doesn't have a specific shelf life, then it can be used according to Declaration of Conformity.

The shelf life of refrigerated products is related to the alimentary products that customer put inside the Aluminum Containers and then for that, is Customer responsibility to conduct specific test to validate the shelf life and any interaction between Aluminum and food.

About Migration Test, they are related to plastic materials or laquered containers (considered as plastic due to chemical nature of laque) and not to plain Aluminum, because there aren't components that can migrate.

We would also clarify that, as reported by the Declaration of Conformity, the Italian and European Laws doesn't require migration test for plain Aluminum.

CONTITAL S.r.l.

Società soggetta all'attività di direzione e coordinamento della "LAMINAZIONE SOTTILE S.p.A."

Sede Amm.va e Stabilimento: Via Appia Km.192,358 – 81052 Pignataro Maggiore (CE) – Tel. 0823.873111 – Fax 0823.654666 – E-mail: info@contital.com
Sede Legale: Via Cannola al Trivio, 28 – 80141 NAPOLI – Codice Fiscale, Partita IVA e Numero R.I. NAPOLI 06237980633
Codice identificativo CEE IT 06237980633C.C.I.A.A. Napoli n. 480674 – Trib. di Napoli n. 558/91 – Capitale Sociale € 260.000 int. vers.

Declaration of Conformity

- 1** Hereby we declare that the products we delivered
- Plain Aluminium foil container rectangular and circular (x)
 - Plain Aluminium pre-formed lids (x)
 - Roll Aluminium foil (x)

Reference

to the following European decrees law:

- Regulation 1935 del 27/10/2004;
- Regulation 2023 del 22/12/2006;
- Regulation 94/62 and further amendments 2004/12/EC; 2002/95/CE RohS (US-CONEG), the concentration of heavy metals (Pb, Cd, Hg, Cr6+)
- Regulation 2003/89 Annex III Bis
- Regulation REACH 1907/2006
- Arrêté du 27 août 1987 Article 3
- FDA 21 CFR § 172 SUBPART I (food additives permitted for direct addition to food for human consumption)

and to the following Italian decrees law and technical standards:

- Decreto Ministeriale N°76 del 18/04/2007
- D.L. N°22 del 05/02/1997 art. 43
- DPR 777/82 and further amendments
- EN 602: 2004 (only for aluminium products)

2 The material above is manufactured with aluminum alloy degreased and pre-lubricated.
According to following technical standards:

- Chemical composition in accordance with EN 602: 2004 (only applicable for aluminum products);
- The laminate of aluminum and its alloys are manufactured in compliance with the Guideline UNI 11360
- For the production of plain aluminium containers and lids and its alloys, is used as "processing aid" an oil, that complies with the requirements of the Decree 76 of 18/04/2007 (Article 4 par. 2) and according to the Guideline UNI 11360 - 05/2010 "in the production of semi-thin foil for the production of food containers and lids."

The lubricant does not contain GMOs and potentially allergenic substances (Annex IIIa of Directive 2003/89).

CONTITAL S.r.l.

Società soggetta all'attività di direzione e coordinamento della "LAMINAZIONE SOTTILE S.p.A. "

3

We Declare

that our products aluminium foil containers, lids and rolls and are compatible for direct food use.

Conditions:

- short-term contact: time less than 24 hours in any temperature condition;
- prolonged contact times longer than 24 hours at refrigerated temperature;
- for longer than 24 hours without refrigeration can be used with the following foods (defined in Annex IV of the Ministerial Decree no. 76 of 18.04.2007): cocoa and chocolate, coffee, spices and herbs infusion, sugar, cereals and products, not fresh pasta, bread, pulses and derived products, dried fruit, dried mushrooms, dried vegetables, confectionery, bakery purposes provided that the filling is not in direct contact with the aluminum;
- not suitable for contact with strongly acidic foods or heavily salted;

For using in oven:

- Aluminium containers can be used in traditional oven at temperatures of 350°C (don't put in direct contact with open flames or electrical resistances);
- Aluminium containers can be used in microwave ovens at a temperature of 200° C for 15' mim. (only if allowed by the producer of microwave ovens).

The material does not contain restricted substances REACH Regulation 1907/2006.

For containers and lids of aluminum, evidence of overall migration and specific are not mandatory.

This statement is prepared according to the laws mentioned above and is provided

To:

The industrial or commercial use of the material referred to in this declaration does not preclude the assessment of its compliance with current standards of competence and suitability of the technology to its intended purpose.

4 This statement is valid from the date specified below and will be replaced in case that substantial changes occur in the production of material, that can change the essential requirements for compliance or when the legislative references cited in this policy will be modified and updated to require a new test for compliance.

5 Others:

The ideal storage conditions are 15/20 ° C in a dry place and protected from the atmospheric elements.

Date 19/19/2018

CONTITAL srl
Quality Manager



CONTITAL S.r.l.

Società soggetta all'attività di direzione e coordinamento della "LAMINAZIONE SOTTILE S.p.A."